according to the OSHA Hazard Communication Standard



## Starblast<sup>™</sup> XL

Version 14.0	Revision Date: 10/19/2023		DS Number: 31991-00052	Date of last issue: 04/21/2023 Date of first issue: 02/27/2017		
SECTION	1. IDENTIFICATION					
Proc	luct name	:	Starblast™ XL			
SDS	-Identcode	:	130000030940			
Man	ufacturer or supplier's	deta	ails			
Corr	Company name of supplier		The Chemours Company FC, LLC			
Address		:	1007 Market Street Wilmington, DE 19801 United States of America (USA)			
Tele	Telephone		1-844-773-CHEM (outside the U.S. 1-302-773-1000)			
Emergency telephone		:	Medical emergency: 1-866-595-1473 (outside the U.S. 1-302-773-2000) ; Transport emergency: +1-800-424-9300 (outsid the U.S. +1-703-527-3887)			
Recommended use of the c			nical and restriction	ons on use		
Recommended use		:	Abrasive blasting Sand blasting			
Restrictions on use		:	For industrial use	only.		

### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

#### GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

#### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

CAS-No.	Concentration (% w/w)
12182-56-8	>= 70 - < 90
1317-80-2	>= 0.1 - < 1
14808-60-7	>= 0.1 - < 1
	12182-56-8 1317-80-2

# Voluntarily-disclosed substance

Actual concentration is withheld as a trade secret

according to the OSHA Hazard Communication Standard



## Starblast<sup>™</sup> XL

Version 14.0	Revision Date: 10/19/2023		DS Number: 31991-00052	Date of last issue: 04/21/2023 Date of first issue: 02/27/2017		
SECTION	4. FIRST AID MEASU	RES				
lf inha	If inhaled		If inhaled, remove to fresh air. Get medical attention if symptoms occur.			
In cas	In case of skin contact			Wash with water and soap as a precaution. Get medical attention if symptoms occur.		
In cas	In case of eye contact		Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.			
lf swa	If swallowed		Get medical atte	D NOT induce vomiting. ention if symptoms occur. proughly with water.		
and e	Most important symptoms and effects, both acute and delayed		irritant effects			
Prote	Protection of first-aiders		No special prec	autions are necessary for first aid responders.		
Notes to physician		:	Treat symptoma	atically and supportively.		

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Not applicable Will not burn
Unsuitable extinguishing media	:	Not applicable Will not burn
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :	Follow safe handling advice (see section 7) and personal pro-
tive equipment and emer-	tective equipment recommendations (see section 8).

according to the OSHA Hazard Communication Standard



## Starblast<sup>™</sup> XL

Version 14.0	Revision Date: 10/19/2023		DS Number: 31991-00052	Date of last issue: 04/21/2023 Date of first issue: 02/27/2017	
gency	v procedures				
Environmental precautions		:	Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.		
Methods and materials for containment and cleaning up		:	tainer for disposal Local or national i sal of this materia ployed in the clea which regulations Sections 13 and 1	regulations may apply to releases and dispo- Il, as well as those materials and items em- nup of releases. You will need to determine	

### SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	:	No special restrictions on storage with other products.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

-	_		-	
Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
Rutile (TiO2)	1317-80-2	TWA (Res-	2.5 mg/m <sup>3</sup>	ACGIH
× ,		pirable par-	(Titanium dioxide)	
		ticulate mat-	· · · · · · · · · · · · · · · · · · ·	
		ter)		
Quartz	14808-60-7	TWA (Res-	0.05 mg/m <sup>3</sup>	OSHA Z-1
		pirable dust)	-	
		TWA (respir-	10 mg/m3	OSHA Z-3
		able)	/ %SiO2+2	
		TWA (respir-	250 mppcf	OSHA Z-3
		able)	/ %SiO2+5	
		TWA (Res-	0.025 mg/m <sup>3</sup>	ACGIH
		pirable par-	(Silica)	
		ticulate mat-		

according to the OSHA Hazard Communication Standard



ersion 1.0	Revision Date: 10/19/2023		OS Number: 31991-00052		t issue: 04/21/202 t issue: 02/27/201	
11		I		ter)	1	
				TWA (Res- pirable dust)	0.05 mg/m³ (Silica)	NIOSH REI
				PEL (respir- able)	0.05 mg/m <sup>3</sup>	OSHA CAR
This : hazar	substance(s) is not b <sup>.</sup> d.	ioava	ailable and the	refore does not	contribute to a o	dust inhalation
	Quartz					
Engir	neering measures	:	areas, airborn enclosure of t	e dust levels sh	asive blast agent i ould be controlled sting operation. Th	by physical
Perso	onal protective equip	ment				
Respi	ratory protection	:	maintain vapo concentrations unknown, app Follow OSHA use NIOSH/M by air purifying dous chemica respirator if th exposure leve	r exposures belo s are above reco propriate respirat respirator regula SHA approved r g respirators aga l is limited. Use ere is any poten ols are unknown,	ntilation is recomm ow recommended ommended limits of ory protection sho ations (29 CFR 19 respirators. Protect ainst exposure to a a positive pressur tial for uncontrolle or any other circu may not provide a	limits. Where or are ould be worn. 10.134) and tion provided any hazar- e air supplied d release, umstance
	protection aterial	:	Protective glo	ves		
Re	emarks	:	on the concer applications, w micals of the a manufacturer.	ntration specific t we recommend of aforementioned Wash hands be akthrough time is	ds against chemic to place of work. F clarifying the resis protective gloves fore breaks and a s not determined f	or special tance to che- with the glove t the end of
Eye p	rotection	:	Wear the follo Safety glasses		rotective equipme	nt:
Skin a	and body protection	:	Skin should be	e washed after o	contact.	
Hygie	ne measures	:	eye flushing s king place. When using d			

according to the OSHA Hazard Communication Standard



Version 14.0	Revision Date: 10/19/2023		S Number: 31991-00052	Date of last issue: 04/21/2023 Date of first issue: 02/27/2017		
SECTION	9. PHYSICAL AND CHE	ΞΜΙΟ		ES		
	arance	:	solid, dry, free fl			
, ppot		•				
Color		:	red brown			
Odor		:	odorless			
Odor	Threshold	:	No data availab	le		
pН		:	No data availab	le		
Meltin	ng point/freezing point	:	2,498 °F / 1,370	℃ (		
Initial range	boiling point and boiling	:	No data availab	le		
Flash	point	:	Not applicable			
Evapo	pration rate	:	Not applicable			
Flamr	nability (solid, gas)	:	Will not burn			
			Not expected to	o form explosive dust-air mixtures.		
	r explosion limit / Upper nability limit	:	No data availab	le		
	r explosion limit / Lower nability limit	:	No data availab	le		
Vapor	rpressure	:	Not applicable			
Relati	ve vapor density	:	Not applicable			
Relati	ve density	:	3.7			
	ility(ies) ater solubility	:	insoluble			
	on coefficient: n- ol/water	:	Not applicable			
Autoig	gnition temperature	:	No data availab	le		
Decor	mposition temperature	:	The substance	or mixture is not classified self-reactive.		
Visco: Vis	sity scosity, kinematic	:	Not applicable			

according to the OSHA Hazard Communication Standard



## Starblast<sup>™</sup> XL

Version 14.0	Revision Date: 10/19/2023	SDS Number: 1331991-00052	Date of last issue: 04/21/2023 Date of first issue: 02/27/2017
Explo	sive properties	: Not explosive	
Oxidizing properties		: The substance	e or mixture is not classified as oxidizing.
Partic	ele size	: No data availa	able

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	None known.
Conditions to avoid	:	None known.
Incompatible materials	:	None.
Hazardous decomposition products	:	No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

#### Skin contact Ingestion Eye contact

### Acute toxicity

Not classified based on available information.

### Components:

Staurolite:	
Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg
Rutile (TiO2):	
Acute oral toxicity	<ul> <li>LD50 (Rat): &gt; 5,000 mg/kg</li> <li>Method: OECD Test Guideline 425</li> <li>Remarks: Based on data from similar materials</li> </ul>

Quartz:

according to the OSHA Hazard Communication Standard



ersion 4.0	Revision Date: 10/19/2023	-	OS Number: 31991-00052	Date of last issue: 04/21/2023 Date of first issue: 02/27/2017
Acute	oral toxicity	:	LD50 (Rat): > 5	,000 mg/kg
-	corrosion/irritation			
	assified based on ava	liable	information.	
<u>Comp</u>	oonents:			
Rutile	e (TiO2):			
Speci		:	Rabbit	
Metho Resul		:	OECD Test Gui No skin irritatior	
Rema		÷		n is based on data obtained from similar sub
			stances.	
Serio	us eye damage/eye i	irritati	on	
Not cl	assified based on ava	ilable	information.	
<u>Com</u>	oonents:			
Rutile	e (TiO2):			
Speci	es	:	Rabbit	
Resu	· _	:	No eye irritation OECD Test Gui	
Metho Rema		:		rom similar materials
Skin Not cl	iratory or skin sensif sensitization assified based on ava			
-	iratory sensitization			
Not cl	assified based on ava	ilable	information.	
<u>Com</u>	oonents:			
	e (TiO2):			
Route Speci	es of exposure	:	Skin contact Mouse	
Metho		:	OECD Test Gui	deline 429
Resu		:	negative	
Rema	arks	:	Based on data f	rom similar materials
	cell mutagenicity			
Not cl	assified based on ava	ilable	information.	
<u>Comp</u>	<u>oonents:</u>			
	e (TiO2):			
	cell mutagenicity -	:	Weight of evide cell mutagen.	nce does not support classification as a germ

according to the OSHA Hazard Communication Standard



ersion .0	Revision Date: 10/19/2023	-	S Number: 31991-00052	Date of last issue: 04/21/2023 Date of first issue: 02/27/2017
	nogenicity			
Not cl	assified based on ava	ilable	information.	
<u>Comp</u>	onents:			
	e (TiO2):			
Carcir ment	ogenicity - Assess-	:	Weight of evide cinogen	ence does not support classification as a car-
Quart	z:			
Speci		:	Humans	
Applic Resul	ation Route	:	inhalation (dust positive	/mist/fume)
Rema		:	This substance	(s) is not bioavailable and therefore does not dust inhalation hazard.
Carcir ment	nogenicity - Assess-	:	Positive eviden tion)	ce from human epidemiological studies (inha
IARC	Group 1: Ca Quartz (Silica dust,		genic to humans	14808-60-7
	•	Possib	ly carcinogenic	to humans 1317-80-2
OSH <i>A</i>	OSHA spec Quartz (crystalline	-	regulated carci	nogen 14808-60-7
NTP	Quartz		an carcinogen e (Respirable Siz	14808-60-7 re))
<b>II</b>				
•	oductive toxicity assified based on ava	ilahle	information	
	onents:			
	e <b>(TiO2):</b> ductive toxicity - As- nent	:	Weight of evide ductive toxicity	ence does not support classification for repro
	<b>-single exposure</b> assified based on ava	ilable	information.	
sтот	-repeated exposure			
	assified based on ava	ilable	information.	
<u>Comp</u>	onents:			
	(TiO2):			
Δςςρς	sment	:	No significant h	ealth effects observed in animals at concent

according to the OSHA Hazard Communication Standard



## Starblast<sup>™</sup> XL

Version 14.0	Revision Date: 10/19/2023	SDS Number: 1331991-00052	Date of last issue: 04/21/2023 Date of first issue: 02/27/2017
П		tions of 100 m	g/kg bw or less.
Targe	t <b>z:</b> es of exposure et Organs esment		t/mist/fume) uce significant health effects in animals at con- 0.02 mg/l/6h/d or less.
Comp Rutile Speci NOAE LOAE Applic	EL EL cation Route sure time	: Rat : 24,000 mg/kg : > 24,000 mg/k : Ingestion : 28 d	g adverse effects were reported
Quart Speci LOAE	t <b>z:</b> es :L cation Route	Based on data : Humans : 0.053 mg/m <sup>3</sup> : inhalation (dus : This substance	from similar materials

### Aspiration toxicity

Not classified based on available information.

### SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

### Components:

Rutile (TiO2):		
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	ErC50 (algae): > 10,000 mg/l Exposure time: 72 h Remarks: Based on data from similar materials

according to the OSHA Hazard Communication Standard



## Starblast<sup>™</sup> XL

Version 14.0	Revision Date: 10/19/2023		DS Number: 331991-00052	Date of last issue: 04/21/2023 Date of first issue: 02/27/2017
			NOEC (algae): 5, Exposure time: 7: Remarks: Based	
Quar	tz:			
Ecote	oxicology Assessmen	t		
Acute	e aquatic toxicity	:	No toxicity at the	limit of solubility.
Chroi	nic aquatic toxicity	:	No toxicity at the	limit of solubility.
	i <b>stence and degradab</b> i ata available	lity		
Bioa	ccumulative potential			
Com	ponents:			
Rutil	e (TiO2):			
Bioac	ccumulation	:		umulation is unlikely. om similar materials
Mobi	lity in soil			
No da	ata available			
Othe	r adverse effects			
No da	ata available			

Disposal methods		
Waste from residues	:	Dispose of in accordance with local regulations. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

#### UNRTDG

Not regulated as a dangerous good

### IATA-DGR

Not regulated as a dangerous good

### IMDG-Code

Not regulated as a dangerous good

according to the OSHA Hazard Communication Standard



## Starblast<sup>™</sup> XL

Version	Revision Date:	SDS Number:	Date of last issue: 04/21/2023
14.0	10/19/2023	1331991-00052	Date of first issue: 02/27/2017

### **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable for product as supplied.

#### **Domestic regulation**

#### **49 CFR** Not regulated as a dangerous good

### Special precautions for user

Not applicable

### SECTION 15. REGULATORY INFORMATION

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	No SARA Hazards
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
US State Regulations		
Pennsylvania Right To Know	,	

Staurolite	12182-56-8
Tourmaline	1317-93-7
Leucoxene	12173-81-8

#### California Prop. 65

WARNING: This product can expose you to chemicals including Quartz, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

#### **California Regulated Carcinogens**

Quartz

14808-60-7


### **SECTION 16. OTHER INFORMATION**

Further information

according to the OSHA Hazard Communication Standard



## Starblast<sup>™</sup> XL



Starblast<sup>™</sup> and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC.

Chemours <sup>™</sup> and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information.

For further information contact the local Chemours office or nominated distributors.

Do not use or resell Chemours<sup>™</sup> materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless agreed to by Seller in a written agreement covering such use. For further information, please contact your Chemours representative.

This product contains Naturally Occurring Radioactive Materials (NORMs) at levels below U.S. Nuclear Regulatory Commission licensing requirements at 10 CFR 40. Many local jurisdictions are developing new regulations for the disposal of waste containing Naturally Occurring Radioactive Materials (NORM) or Technologically Enhanced Naturally Occurring Radioactive Materials (TENORM) above background levels. Consult and comply with current regulations.

The main radiological hazard from the product is internal exposure from small amounts of alpha particles given off by inhaled dust. Industrial hygiene practices aimed at control of airborne dust can lessen the potential for exposure. Overexposure by inhalation to inhaled dusts containing radioactive uranium, thorium, and radium may cause lung cancer. Low level gamma radiation in proximity to bulk or bagged stockpiles of these products may present a lesser, external exposure that can be managed by limiting close proximity for long time periods to large volumes of material. With respect to dust exposure, evaluation and calculation based upon dosimetry (ICRP 68) yield the following guidance to ensure that inhalation intake is less than a 100 mrem/yr public dose reference point for radionuclides.

For a total dust with aerodynamic diameter of 1 um, the calculated reference dust level is 17.4 mg/m3. For a total dust with aerodynamic diameter of 5 um, the calculated reference dust level is 27.0 mg/m3. For a total dust with aerodynamic diameter of 10 um, the calculated reference dust level is 39.8 mg/m3.

The calculations noted above are based upon 8 hr/day TWAs. It should be noted that for these products, the actual particle physical diameter is approximately 1/2 the effective aerodynamic diameter. For these products, as shipped, with essentially no particles as small as calculated above, the highest total dust level can provide a conservative limit. However, if during handling or use the particles are broken down to finer particle sizes, lower levels of total dust would apply.

These reference calculations for radionuclides may or may not provide the most conservative recommendation vs. other trace contaminants as compared to specific country dust contaminant liaccording to the OSHA Hazard Communication Standard



## Starblast<sup>™</sup> XL

Version	Revision Date:	SDS Number:	Date of last issue: 04/21/2023
14.0	10/19/2023	1331991-00052	Date of first issue: 02/27/2017

mit calculations. It is recommended that the user compare and calculate or measure for specific contaminants vs. reference limits, especially if particles are broken down, to determine the most appropriate standard for protection.

#### Full text of other abbreviations

ACGIH NIOSH REL OSHA CARC OSHA Z-1	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits OSHA Specifically Regulated Chemicals/Carcinogens USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Min- eral Dusts
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA CARC / PEL OSHA Z-1 / TWA		Permissible exposure limit (PEL) 8-hour time weighted average
OSHA Z-3 / TWA		8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

according to the OSHA Hazard Communication Standard



## Starblast<sup>™</sup> XL

Versio 14.0	n Revision Date: 10/19/2023		DS Number: 31991-00052	Date of last issue: 04/21/2023 Date of first issue: 02/27/2017
Sources of key data used to compile the Material Safety Data Sheet		:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/	
R	evision Date	:	10/19/2023	

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8